


# MSTER Value GLASS LED candles and lusters

## MASTER VLE LEDLusterD3.4-40W E14 P45 927CLG

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lusters with the benefits of the long-lasting LED technology. The product offers more energy saving comparing with normal LED candles and lusters, while in the same time it also provide the custome with good light experience with super dimming performance. MASTER Value Glass Led candles and lusters deliver significant energy savings, offering even 30% more compared to normal LED and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

### Product data

| General Information | |
|---|---|
| **Cap-Base** | E14 [ E14] |
| **EU RoHS compliant** | Yes |
| **Nominal Lifetime (Nom)** | 15000 h |
| **Switching Cycle** | 20000X |
| **Flux measurement reference** | Sphere |

| Light Technical | |
|---|---|
| **Color Code** | 927 [ CCT of 2700K] |
| **Luminous Flux (Nom)** | 470 lm |
| **Color Designation** | Warm White (WW) |
| **Correlated Color Temperature (Nom)** | 2700 K |
| **Luminous Efficacy (rated) (Nom)** | 138.00 lm/W |
| **Color Consistency** | <6 |
| **Color Rendering Index (Nom)** | 90 |
| **LLMF At End Of Nominal Lifetime (Nom)** | 70 % |

| Operating and Electrical | |
|---|---|
| **Input Frequency** | 50 to 60 Hz |
| **Power (Nom)** | 3.4 W |
| **Lamp Current (Nom)** | 20 mA |
| **Wattage Equivalent** | 40 W |
| **Starting Time (Nom)** | 0.5 s |
| **Warm Up Time to 60% Light (Nom)** | 0.5 s |
| **Power Factor (Nom)** | 0.7 |

# MSTER Value GLASS LED candles and lusters


| | |
|---|---|
| **Voltage (Nom)** | 220-240 V |

| | |
|---|---|
| **Temperature** | |
| **T-Case Maximum (Nom)** | 80 °C |
| **Controls and Dimming** | |
| **Dimmable** | Only with specific dimmers |
| **Mechanical and Housing** | |
| **Bulb Finish** | Clear |
| **Bulb Shape** | P45 [ P 45mm] |
| **Approval and Application** | |
| **Energy Efficiency Class** | D |
| **Energy Consumption kWh/1000 h** | 4 kWh |

| | |
|---|---|
| **EPREL Registration Number** | 574371 |

| | |
|---|---|
| **Product Data** | |
| **Full product code** | 871951435547700 |
| **Order product name** | MASTER VLE LEDLusterD3.4-40W E14 P45 927CLG |
| **EAN/UPC - Product** | 8719514355477 |
| **Order code** | 929003060002 |
| **Numerator - Quantity Per Pack** | 1 |
| **Numerator - Packs per outer box** | 10 |
| **Material Nr. (12NC)** | 929003060002 |
| **Net Weight (Piece)** | 0.010 kg |


## Dimensional drawing





**Bulb P45 40W 470lm 2700K E14 D CL**

| Product | D | C |
|---|---|---|
| MASTER VLE LEDLusterD3.4-40W E14 P45 927CLG | 45 mm | 80 mm |

## Photometric data





**LEDlustre MAS 3,4W P45 E14 927 CL-POC**



**LEDlustre MAS 3,4W P45 E14 927 CL-GUL**


# MSTER Value GLASS LED candles and lusters

## Photometric data





**LEDlustre MAS P45 3,4W E14 927 CL-LDD**

## Lifetime




**15K LED**




**15K LMP**

© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.