SAFETY DATA SHEET

Deepclean 150ml Aerosol

Revision 0
Revision date 21-Sep-2007

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Deepclean 150ml Aerosol

Company
Acco UK Ltd
Oxford House
Oxford Road
Aylesbury
Bucks
HP21 8SZ
informationeurope@acco.com
www.acco.co.uk

Telephone +44 (0)845 6031730

Fax +44 (0)845 6031731

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Isopropanol (Propan-2-ol)	<20%	67-63-0	200-661-7	F; R11 Xi; R36 R67

3. HAZARDS IDENTIFICATION

Main hazards Highly flammable.

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.

Ingestion Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.

General information In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. FIRE FIGHTING MEASURES

Extinguishing media Carbon dioxide (CO_2) Alcohol resistant foam. Dry chemical.

Fire hazards Highly flammable. Vapour may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.

Protective equipment Wear suitable respiratory equipment when necessary.

Deepclean 150ml Aerosol

Revision 0
Revision date 21-Sep-2007

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Eliminate all sources of ignition. Wear suitable protective equipment.

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500	WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: 1250

Engineering measures Ensure adequate ventilation of the working area.

Respiratory protection Wear: Suitable respiratory equipment.

Hand protection Rubber gloves.

Eye protection Approved safety goggles.

Protective equipment Wear chemical protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid.

Colour Clear.

Odour Alcoholic.

Boiling point 82°C

Flash point 10°C

Vapour pressure 4.67 @ 20°C

Water solubility slightly soluble in water.

Autoignition temperature 460

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Heat, sparks and open flames.

Materials to avoid Oxidising agents.

11. TOXICOLOGICAL INFORMATION

Toxicological information

Isopropanol	Oral Mouse LD50 = 3600 mg/kg Oral Rat LD50 = 5.8g/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available on this product.

Deepclean 150ml Aerosol

Revision 0
Revision date 21-Sep-2007

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

ADR/RID

UN 1219
Class 3
Proper Shipping Name iSOPROPANOL.
Packing group II
Hazard ID 33

IMDG

UN 1219
Class 3
EmS Code F-E S-D
Packing group II
Marine pollutant NO

IATA

UN 1219
Class 3
Packing Instruction (Cargo) 307
Packing Instruction (Passenger) 305
Packing group II
Subsidiary risk -
Maximum quantity 60 L
Maximum quantity 5 L

15. REGULATORY INFORMATION

Labelling The product is classified in accordance with 67/548/EEC.

Symbols F - Highly flammable



Risk phrases R11 - Highly flammable.

Safety phrases S16 - Keep away from sources of ignition - No smoking.

16. OTHER INFORMATION

Text of risk phrases in Section 2
R11 - Highly flammable.
R36 - Irritating to eyes.
R67 - Vapours may cause drowsiness and dizziness.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.