

CorePro LEDspot MV

CorePro LEDspot 3-35W GU10 840 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap base	GU10 [GU10]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
	Narrow Cone

Light Technical	
Colour Code	840 [CCT of 4,000 K]
Beam Angle (Nom)	36 °
Luminous flux (nom.)	240 lm
Luminous intensity (nom.)	500 cd
Colour designation	Cool White (CW)
Correlated Colour Temperature (Nom)	4000 K
Luminous efficacy (rated) (nom.)	80.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Luminous flux in 90° cone (rated)	240 lm

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	3 W
Lamp current (nom.)	18 mA
Wattage equivalent	35 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.8
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	65 °C

Controls and Dimming	
Dimmable	Only with specific dimmers

Mechanical and Housing	
Bulb shape	PAR16 [PAR 2 inch]


Approval and Application	
Energy Efficiency Class	F
Suitable for accent lighting	Yes
Energy consumption kWh/1,000 hours	3 kWh
	391906

CorePro LEDspot MV

Product Data	
Full product code	871869673022500
Order product name	CorePro LEDspot 3-35W GU10 840 36D DIM
EAN/UPC – product	8718696730225
Order code	73022500
SAP numerator – quantity per pack	1

Numerator – packs per outer box	10
SAP material	929002065602
SAP net weight (piece)	0.048 kg


Dimensional drawing




Product	D	C
CorePro LEDspot 3-35W GU10 840 36D DIM	50 mm	54 mm

GU10 3-35W 260lm 36D 4000K GU10 D 15khrs


Photometric data



LEDspots Corepro SLR 3W PAR16 GU10 840 36D-ADL




LEDspots Corepro SLR 3W PAR16 GU10 840 36D-LDD




LEDspots Corepro SLR 3W PAR16 GU10 840 36D-POC

CorePro LEDspot MV

Lifetime



15K LED



15K LMP

© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.