
Colour Coded 24 Port Keystone Patch Panel



24 Port Keystone Patch Panel (FFK24mtCOL4)

TUK's colour coded 24 port patch panel suits most keystones and has a range of configurable bezels to easily identify the ports used for different purposes

Features

- Moveable coloured bezels allow for easy differentiation of data sources
- Supplied in a range of empty or pre-kitted panels with bezels available in green, blue, red, yellow and black
- Clear numbering on the front provides a quick, easy way to identify cable run
- 'Write on' label facility for port identification
- Accepts keystones up to 17.4mm wide
- Suitable for UTP and FTP installations
- Supplied with a removeable rear cable management bar, cable ties, 4 sets of M6 black cage nuts and 25cm long earth wire

Range

FFK24mtCOL4 – panel supplied with 6 bezels in each of blue, green, red and yellow

FFK24mtCOL – empty panel without bezels

FFK24mtCOLbl/ FFK24COLgn/ FFK24COLrd/ FFK24COLyw – panel supplied with 24 bezels in blue/green/red/yellow

FFKCOLbl/bk/gn/rd/yw – pack of 6 bezels in blue/black/green/red/yellow

TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London SW17 0BA

Tel: 020 8946 6688 Fax: 020 8879 7410 E-mail: sales@tuk.co.uk Website: www.tuk.co.uk

Specifications

FFK24mtCOL4

Weight 825g (including primary packaging)
Dimensions: 520 x 65 x 75mm approx. (including primary packaging).
Colour:
front: black + blue, green, red and yellow bezels
rear: silver
Material:
Panel: cold-rolled steel sheet 1.5mm thick
Cable management: Electro galvanized cold rolled mild steel
Bezels: Polypropylene

FFK24mtCOL

Weight 810g (including primary packaging)
Dimensions: 520 x 65 x 75mm approx. (including primary packaging).
Colour:
front: black
rear: silver
Material:
Panel: cold-rolled steel sheet 1.5mm thick
Cable management: Electro galvanized cold rolled mild steel

FFK24mtCOL/bl/gn/rd/yw


Weight 825g (including primary packaging)
Dimensions: 520 x 65 x 75mm approx. (including primary packaging).
Colour:
front: black + (one of) blue, green, red or yellow bezels
rear: silver
Material:
Panel: cold-rolled steel sheet 1.5mm thick
Cable management: Electro galvanized cold rolled mild steel
Bezels: Polypropylene

Packaging: Supplied in an individual carton

FFKCOLbl/bk/gn/rd/yw

Weight 3g (including primary packaging)
Dimensions: 45 x 25 x 10mm approx. (including primary packaging).
Colours: blue, black, green, red and yellow
Material: Polypropylene

Packaging: Supplied in 6s in poly bags then in pack of 4 (total 24pcs)



EAN:

	Panels		Bezels
FFK24mtCOL:	5055386512642		
FFK24mtCOL4:	5055386512741	FFKCOLbk:	5055386512697
FFK24mtCOLgn:	5055386512659	FFKCOLgn:	5055386512703
FFK24mtCOLbl:	5055386512666	FFKCOLbl:	5055386512710
FFK24mtCOLrd:	5055386512673	FFKCOLrd:	5055386512727
FFK24mtCOLyw:	5055386512680	FFKCOLyw:	5055386512734

Commodity Code: 85366990

TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London SW17 0BA

Tel: 020 8946 6688 Fax: 020 8879 7410 E-mail: sales@tuk.co.uk Website: www.tuk.co.uk