# Charge ‘n’ Drive

## Qi2 Magnetic Wireless Car Charger






### High Power Qi2 Wireless Charging

Upgrade your iPhone charging with the Verbatim Qi2 Charge ‘n’ Drive Magnetic Wireless Car Charger.

Delivering up to 15W power, it charges iPhone 16/15/14/13/12 models at double the original Qi speed and supports Qi2-compatible Android devices.

Its ice-cooling system, featuring a smart fan and chilling plate, prevents overheating for efficient charging, while versatile mounting options (ventilation, dashboard, windscreen) ensure convenience.

Key features include 360° rotation, strong magnetic hold, safety protections, and camera lens compatibility.

15W max for iPhone/Android


Magnetic Wireless Charging

Active Cooling

Qi2 Charging

verbatim.com



| General Information | |
|---|---|
| Approx. product dimensions LxWxH | 64 x 64 x 42.5 mm |
| Product weight | 101 g |
| Product material | Glass, ABS+PC |
| Colour | Black |
| Opening/Closing system | Automatic |
| Mounting options | 3: Air vent, on dash board or windscreen |
| Phone width min to max | there is no limit of the phone size as it doesn't come with a grip |
| Phone case thickness max. | 3 mm |
| Charger compatibility | Qi-compatible smartphone |
| **Power** | |
| Input (requirements for adapter) | DC 5V/3A, 9V/3A |
| Working frequency | 110-360KHz |
| Charging distance | 3 mm |
| Output | up to 15W (requires a car charger provides power 30W or above, sold separately) |
| Charging Techonology | Qi2 (for Qi2 compatibility with Apple devices and iOS versions, please refer to Apple's official announcement) |
| Charging efficiency | ≤70% |
| Cable | USB-C to USB-C |
| Cable Length | 1 m |
| **Other Features** | |
| Rotatable | Yes, 360° |
| Anti-slip | Yes |
| LED Indicators | Yes |
| Anti-scratch | Yes |




Charging Pad



Car vent clip



Dashboard stand

| Safety | |
|---|---|
| Output short circuit protect | Yes |
| Over-voltage protection | Yes |
| Over-current protection | Yes |
| Over-temperature protection | Yes |

| Directives | |
|---|---|
| Electromagnetic compatibility | 2014/30/EC |
| Low voltage protection | 2014/35/EC |
| General product safety | 2001/95/EC |
| RoHS directive | 2011/65/EC |
| Annex II | 2015/863/EC |
| Test standards | EN 55032:2015+A11:2020+A1:2020<br>EN 55035:2017+A11:2020<br>EN 61000-3-2:2019+A2021<br>EN 61000-3-3:2013+A1:2019+A2:2021<br>EN IEC 62386-1:2020+A11:2020 |

| Storage and Operating Conditions | |
|---|---|
| Storage temperature | -10 °C to 60 °C |
| Operating temperature | 0 °C to 40 °C |
| Operating humidity | 5%(0°)~90%(40°)RH |

| PN | Description | Tariff Code | Bar Code | EAN128 Code | EAN14 Code |
|---|---|---|---|---|---|
| 31861 | Verbatim Charge 'n' Drive Qi2 Magnetic Wireless Car Charger | 85044095 | 023942318613 | (02)00023942318613(37)05(91)845<br>(02)00023942318613(37)20(91)845 | 20023942318617<br>50023942318618 |

| Logistic Information | |
|---|---|
| Product Dimensions: L x W x H | 64.3 x 64.3 x 43.2 mm (Charging pad) |
| Product Weight: | 105g (charging pad), 102g (Dashboard stand), 21g (car vent clip) (approx) |
| Units per Pack: | 1 |
| Pack Dimensions: | 106 x 67 x 146 mm |
| Pack Weight: | 321 grams (approx) |
| Packs per Inner Carton: | 5 |
| Inner Carton Dimensions: L x W x H | 355 x 115 x 160 mm |
| Inner Carton Weight: | 140 grams (approx) |
| Packs per Outer Carton: | 20 |
| Outer Carton Dimensions: L x W x H | 370 x 245 x 345 mm |
| Outer Carton Weight: | 7608 grams (approx) |
| Outer Cartons per Layer: | 75 |
| Layers per Pallet: | 5 |
| Units per Pallet: | 1500 |

## Pack Contents

- Verbatim GaN Charger
- Dashborad stand
- Car vent clip
- USB-C to USB-C Cable
- Metallic ring
- Quick Start Guide




## Warranty

2 year limited warranty

For more information, please contact your key account manager

Publication date: 26/11/2024
© 2024 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.











