

CorePro LEDcapsule LV

CorePro LEDcapsuleLV 1.8-20W GY6.35 827

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers significant energy savings and minimises maintenance costs without any compromise on light quality.

Product data

General Information	
Cap base	GY6.35 [GY6.35]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
Technical type	1.8-20W

Light Technical	
Colour Code	827 [CCT of 2,700 K]
Beam Angle (Nom)	300 °
Luminous flux (nom.)	205 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	113.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	- Hz
Power (Rated) (Nom)	1.8 W
Lamp current (nom.)	260 mA
Wattage equivalent	20 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.6
Voltage (Nom)	ac electronic 12 V

Temperature	
T-Case maximum (nom.)	80 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb shape	Capsule


CorePro LEDcapsule LV

Approval and Application	
Energy efficiency label (EEL)	A++
Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	2 kWh

Product Data	
Full product code	871869976779200
Order product name	CorePro LEDcapsuleLV 1.8-20W GY6.35 827

EAN/UPC – product	8718699767792
Order code	76779200
SAP numerator – quantity per pack	1
Numerator – packs per outer box	12
SAP material	929002389702
SAP net weight (piece)	0.010 kg


Dimensional drawing




Product	D	C
CorePro LEDcapsuleLV 1.8-20W GY6.35 827	13 mm	35 mm

GY6.35 1.9W-20W 200lm 2700K Non-Dim


Photometric data



LEDcapsule LV 1,8W GY6,35 827




LEDcapsule LV 1W G4




LEDcapsule LV 1,8W GY6,35 827

CorePro LEDcapsule LV

Lifetime





15K LED	15K LMP

© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.